

Message Text

LIMITED OFFICIAL USE

PAGE 01 CAIRO 10845 121550Z

61

ACTION NEA-10

INFO OCT-01 AF-08 ISO-00 CU-02 SY-05 SCCT-01 CIAE-00

DODE-00 PM-04 H-02 INR-07 L-03 NSAE-00 NSC-05 PA-01

PRS-01 SP-02 SS-15 USIA-06 /073 W

----- 101562

R 121450Z AUG 76

FM AMEMBASSY CAIRO

TO SECSTATE WASHDC 6045

INFO AMCONSUL ALEXANDRIA

AMEMBASSY KHARTOUM

AMEMBASSY TRIPOLI

AMCONSUL PORT SAID POUCH

LIMITED OFFICIAL USE CAIRO 10845

EO 11652: NA

TAGS: PINT EG

SUBJECT: MAJOR FIRE AT AMERICAN UNIVERSITY OF CAIRO

REF: CAIRO 10771

1. THERE ARE VERY FEW NEW FACTS IN THE STORY. DEAN LAMONT BELIEVES NEWSPAPER ACCOUNT IS ACCURATE CONCERNING REPORTING OF FIRE BY EGYPTIAN POLICE. BY THE TIME HE HAD ARRIVED AT THE SCENE, THE FIRE DEPARTMENT AND POLICE HAD ALREADY SWUNG INTO ACTION. HE HAD EARLIER ASSUMED THAT NOTHING WAS DONE UNTIL AUC NOTIFIED. START OF FIRE MUST HAVE BEEN ABOUT 2:00 A.M. HE WAS CALLED ABOUT 2:20 A.M. AND FIRE EQUIPMENT WAS THERE AROUND 3:00 A.M. GUARDS ARE STILL BEING HELD, AND AUC HAS HAD NO CONTACT WITH THEM. THEY WERE HIRED BY CONTRACTOR.

2. LAMONT IS PREPARING AN INTERNAL AUC REPORT AND WILL SEND AMBASSADOR A COPY. HE IS ALSO ASKING FOR A REPORT FOR STATE SECURITY, AND WILL MAKE IT AVAILABLE IF RECEIVED. HE IS SATISFIED WITH ADEQUACY OF EGYPTIAN EFFORTS, AND FEELS THAT THE INVESTIGATION IS BEING HANDLED AT VERY HIGH LEVEL. HE SAYS
LIMITED OFFICIAL USE

LIMITED OFFICIAL USE

PAGE 02 CAIRO 10845 121550Z

HE WOULD HAVE TO ACCEPT STATEMENTS THAT ELECTRICAL WIRING WAS

CAUSE OF FIRE, BUT FINDS IT STRANGE THAT FIRE APPARENTLY BROKE OUT IN FOUR PLACES, THE CORNERS OF THE BUILDING, WITH NO SIGN THAT FIRE HAD SPREAD BETWEEN THE FOUR POINTS.

3. MAJOR FIRE WAS STREET SIDE OF CONSTRUCTION, AT CORNER WHICH JOINS THE WALL OF THE NEW THEATER. LAMONT BELIEVES THERE IS CONSIDERABLE DAMAGE TO NEW THEATER -- PLASTER INSIDE THEATER FELL OFF, AND LIGHTING SYSTEM FELL. HE BELIEVES NEW THEATER WILL BE OUT OF USE UNTIL SPRING SEMESTER.

4. CONCERNING DAMAGE TO THE LIBRARY CONSTRUCTION, HE IS UNABLE TO ESTIMATE EXTENT OF DAMAGE, PHYSICAL OR FINANCIAL. THE INSURANCE INVESTIGATORS AND ESTIMATORS WERE AT THE SITE SURVEYING SITUATION. HE WILL KEEP US INFORMED. FROM HIS OBSERVATION, HE BELIEVES THAT IF FIRE DID NOT DAMAGE STRUCTURALLY THE ALREADY POURED CONCRETE, THEN FINANCIAL AND TIME SETBACK MINIMAL-- COST OF SCAFFOLDING AND A MONTH'S DELAY. HOWEVER, IF CONCRETE WEAKENED STRUCTURALLY, THEN PART OF WORK WOULD HAVE TO BE REMOVED AND STARTED ANEW. SINCE "SUPER-STRONG" CONCRETE BEING USED, HE WOULD ESTIMATE THE TIME DELAY AS CONSIDERABLE. AUC ENGINEERS WERE QUESTIONED AS TO WHETHER THEY FELT CONCRETE HAD BEEN WEAKENED, AND ANSWER WAS YES, GIVING LAMONT SOME CAUSE FOR PESSIMISM.

5. LAMONT CONFIRMED THAT NEW THEATER FULLY INSURED BY AUC WITH NATIONAL INSURANCE COMPANY. INSURANCE CARRIED BY CONTRACTOR FOR LIBRARY CONSTRUCTION, AND LAMONT SAYS CONTRACTOR FULLY COVERED. NEWSPAPERS MENTIONED FIGURE OF LE 100,000 IN DAMAGE, BUT THAT IS JUST SOMEBODY'S GUESS.
EILTS

LIMITED OFFICIAL USE

NNN

Message Attributes

Automatic Decaptioning: X
Capture Date: 01 JAN 1994
Channel Indicators: n/a
Current Classification: UNCLASSIFIED
Concepts: UNIVERSITIES, FIRES
Control Number: n/a
Copy: SINGLE
Draft Date: 12 AUG 1976
Decaption Date: 01 JAN 1960
Decaption Note:
Disposition Action: RELEASED
Disposition Approved on Date:
Disposition Authority: ElyME
Disposition Case Number: n/a
Disposition Comment: 25 YEAR REVIEW
Disposition Date: 28 MAY 2004
Disposition Event:
Disposition History: n/a
Disposition Reason:
Disposition Remarks:
Document Number: 1976CAIRO10845
Document Source: CORE
Document Unique ID: 00
Drafter: n/a
Enclosure: n/a
Executive Order: N/A
Errors: N/A
Film Number: D760311-0061
From: CAIRO
Handling Restrictions: n/a
Image Path:
ISecure: 1
Legacy Key: link1976/newtext/t19760861/aaaacbkkg.tel
Line Count: 91
Locator: TEXT ON-LINE, ON MICROFILM
Office: ACTION NEA
Original Classification: LIMITED OFFICIAL USE
Original Handling Restrictions: n/a
Original Previous Classification: n/a
Original Previous Handling Restrictions: n/a
Page Count: 2
Previous Channel Indicators: n/a
Previous Classification: LIMITED OFFICIAL USE
Previous Handling Restrictions: n/a
Reference: 76 CAIRO 10771
Review Action: RELEASED, APPROVED
Review Authority: ElyME
Review Comment: n/a
Review Content Flags:
Review Date: 03 JUN 2004
Review Event:
Review Exemptions: n/a
Review History: RELEASED <03 JUN 2004 by BoyleJA>; APPROVED <12 OCT 2004 by ElyME>
Review Markings:

Margaret P. Grafeld
Declassified/Released
US Department of State
EO Systematic Review
04 MAY 2006

Review Media Identifier:
Review Referrals: n/a
Review Release Date: n/a
Review Release Event: n/a
Review Transfer Date:
Review Withdrawn Fields: n/a
Secure: OPEN
Status: NATIVE
Subject: MAJOR FIRE AT AMERICAN UNIVERSITY OF CAIRO
TAGS: PINT, EG
To: STATE
Type: TE
Markings: Margaret P. Grafeld Declassified/Released US Department of State EO Systematic Review 04 MAY 2006